


PastureLine

4mm "No Wire" Polymer Horse Fence
1247 ft. & 2492 ft. Spool
Available in White or Black

Revolutionary Fencing Providing Visibility
Durable & Aesthetically Appealing



Vinyl Post & Rail


Lifetime Warranty

Low Maintenance & Durable
Enhances the Appearance & Value
Of Your Property



Rail Fence Connector

*Available in Pale Green or Black
High Density Polyethylene
Withstands a weight or force of 1950 lbs.
Conforms to both the curve of the post & rail.
Fits 3-4" rails & 4-6" posts*





FLEX FENCE 660 ft. Roll 4" or 5" Wide with 3 Wires

RACE LINE 1320 ft. roll 5/16" Diameter



All Products Available in White, Brown or Black

4" Flex Fence Bracket
5" Flex Fence Bracket



Allows flex rails to move when something comes in contact with it

4" End Tensioner
5" End Tensioner



Used to start & tighten Flex fence horse fence

4" Flex Fence Splice Buckle
5" Flex Fence Splice Buckle



Connects two ends of Flex rail easily & without stripping wires

4" Flex Fence End Buckle
5" Flex Fence End Buckle



Used to terminate a line of Flex rail at the post



SHOCK LINE 1320 ft. roll
5/16" Dia

Highly Conductive Carbon Compound, High Tensile Wire, Long Life, UV Rated Non-Conductive Medium Density Polyethylene.

PLEASE REFER TO PAGE 12 FOR RECOMMENDED LINE INSULATOR: 44 1396. REFER TO PAGE 3 FOR MORE ACCESSORIES



Pinlock Corner Collar 10/pack
White

Fits perfectly on to any wood post to make insulating around corners a breeze. Durable UV-resistant plastic. Collar holds most sizes of wire including large dia. rope


WIRE, PASTURELINE & HORSE RAIL PRODUCT ACCESSORIES

QUICK-END

SIZE 5064
(8-11 ga. & PastureLine)

SIZE 5062
(10-11 ga.)

SIZE 5058
(12-13 ga. & Raceline)



QUICK-SPLICE

SIZE 5065
(8-11 ga. & PastureLine)

SIZE 5059
(12-13 ga. & Raceline)

SIZE 5057
(14-16 ga.)



WIRE GRIPPER

Grips PastureLine & all other gauges of wire. Use with a come-along.



WIRE TWISTER

Make neat spiral wraps



WIRE TWISTING TOOL



TORQ GRIPPLE TENSION TOOL

Ideal for all Gripples. Lightweight & compact.



GRIPPLES SMALL

14-19 ga.

MEDIUM


10-14 ga.

BARBED

12.5 ga.

LARGE

7.5-10 ga. & PastureLine



CONTRACTOR GRIPPLE TENSION TOOL

Metal construction is strong, robust & suitable for everyday use.



IN-LINE STRAINER

Use to tension fence wire.



INSULATED IN-LINE STRAINER

Ideal for tensioning Hotcote & Wire.



CRANK HANDLE

Use with In-line Strainers to increase tension.



CRIMP SLEEVE LONG GRITTED

Use with 12.5 ga. High Tensile Wire. (100/Jar)



CRIMP TOOL

4 Hole model. Use with 9-16 ga. wire.



FENCE PLIERS 10"



TENSION CURVE TOOL

Bends wire to add Tension.



EASY-LOOP CONNECTOR

CWTW White
CWTBR Brown
CWTBL Black

12-13 ga., Raceline & Shockline



Simple way to terminate coated wire or to build brace assemblies.



KIWI LATCH Non Spring

Incl. Staple

Simple to use - one hand operation





TEMPERATURE EQUALISATION SPRING

Eases strain on wire & corner posts.



WEDGE - LOC




Bracing Hardware for T-Posts. Turns T-Posts into Braces. For Permanent & Temporary Fences. Installs In Minutes! Fits all T-Posts! Quick & Easy To Use!



- Corner/In-line Brace Kit** (Incl. – 3 Collars, 3 Wedges & 4 60° Sockets)
- Single Diagonal Brace Kit** (Incl. – 2 Collars, 2 Wedges & 2 60° Sockets)
- Single Horizontal Brace Kit** (Incl. – 2 Collars, 2 Wedges & 2 90° Sockets)
- Gate Hinge Kit** (Incl. – 1 Pair of Gate Hinges)

- Part #205**
- Part #208**
- Part #209**
- Part #115**

(Can be used to hang a gate on a T-Post, Round Pipe Post or a Wooden Post)



Poly Tape Install Shown Below

ELECTRIC FENCE CONTROLLERS

DUAL-PURPOSE & UNIGIZER LOW IMPEDANCE

12 V Battery, 110 V Plug In & Solar Compatible

(Battery & Solar Panel not Included)

(Power adaptor & battery lead set are included)

CORRAL DUAL-PURPOSE		Output Max (J)
NA100	35 Kms	1.0 J
NA300	95 Kms	3.0 J

PATRIOT DUAL-PURPOSE

P5	15 Miles	0.5 J
P10	30 Miles	1.0 J

SPEEDRITE UNIGIZER

1000	10 Miles	1.0 J
3000	30 Miles	3.0 J
6000	60 Miles	6.0 J
6000 with remote	60 Miles	6.0 J

PATRIOT 110v AC Low Impedance

PE5	5 Mile	0.2 J
PE10	10 Mile	0.3 J

PORTABLE LOW IMPEDANCE

3-options: 4 - D-Cells batteries internally or 6, 9 or 12 V battery externally

(Batteries not included)

AN20	0.6 Miles	0.04 J
AN90	1.25 Miles	0.12 J

(Optional tread in ground rod stand)

PBTS

SOLAR

SG80PATRIOT	3 Miles	0.08 J
-------------	---------	--------

(6 volt rechargeable battery included)

S500SPEEDRITE	5 Miles	0.50 J
---------------	---------	--------

(Includes internal rechargeable 12v gel cell battery))



The **CORRAL Dual Purpose** uses the latest electric fencing technology. This simple yet versatile unit can be used for permanent fencing with the 110V mains adaptor or portable fencing with a 12V battery (includes stainless steel clamps for 12V system) or solar option. LED indicator lets you know if your energizer is working.

SPEEDRITE UNIGIZERS give you a versatile 3-in-1 solution to manage your electric fence system. You have the flexibility to choose from either 110v, battery or solar energy to power your electric fence – **ALL-IN-ONE** unit. The 3-in-1 capability allows the Unigizer to be used for all types of fence systems. Indicator lights, Day/Night Sensor, Large Terminals, Low Impedance, Versatile Mounting Options, Adjustable power & pulse speeds


The portable **AN90** provides a practical solution for strip grazing and small electric fence systems. Clips directly onto fence wire for added convenience, on/off switch, fast and slow options and simple set up. Optional tread-in ground rod stand.

SOLAR Low Impedance

Requires minimal sunlight
Indicator light, Battery Saver, Rugged Design, High Output Voltage, 5 watt solar panel, T-Post and wood Post mounting options, ON/OFF switch

LOW IMPEDANCE models utilize special circuitry & transformers to maintain high energy levels on the fence. Effective in moderate to heavy weed conditions & are ideal for longer, multi-strand poly wire, tape, rope or high tensile fence systems. Use for all animals including predators.

ELECTRIC FENCE GROUNDING SYSTEM



Why Is Grounding Important?

If the ground system is insufficient, electricity cannot find a path to the fence and little or no shock is given. An animal provides this path when it touches the fence wire and the earth simultaneously. The electricity then passes through the animal into the soil and back to the ground rods, which are connected to the ground terminal of the fence controller. Only then is the circuit completed and the animal receives an electrical shock.

- A** Install the controller in a building or weatherproof area. Solar fence controllers should be mounted outside, facing the equator for maximum sun exposure.
- B** Drive three galvanized ground rods into moist soil about 10' apart and at least 50' from other electrical grounds. If the soil is dry or subject to freezing part of the year, additional ground rods spaced 10' apart may be needed.
- C** Connect the "ground" terminal on the fence controller to the ground rods with insulated wire and ground rod clamps.
- D** Connect the "fence" terminal on the controller to the fence wire using insulated wire.

Detailed installation and grounding instructions are included with every electric fence controller.

GROUND ROD CLAMP

5' GROUND ROD

5' GROUND ROD & CLAMP

Galvanized Ground Rods and Clamps

INSULATED CONNECTION CABLE

Ideal lead out cable to fence, linking ground rods and for under gateways

25 METER ROLL (82 FT)

50 METER ROLL (164 FT)

100 METER ROLL (328 FT)



ELECTRIC FENCE ACCESSORIES

JOINT CLAMP

Used to connect wire or insulated Connection cable into fence. (up to 2.5mm dia)
Also available in Stainless Steel



WARNING SIGN

Made of durable plastic

WARNING FLAG (10/bag)

Yellow FWF10
White WFWF10



LIGHTNING PROTECTION 449602/011

Assembles onto fence post. Protects fence controller from overvoltage by lightning contact with the fence system. Channels the overvoltage directly into the ground.



CUTOFF SWITCH COS1

Turns electric fence on & off at convenient locations.

ON/OFF SWITCH 44607/011

Eliminates turning off the whole system & enables you to work on a fence area.



CROCODILE CLIP 44606/011

Metal eye, 100 cm of lead, stainless steel.



CROCODILE 2 CLIP 441608/011

Ideal on/off device. 60 cm of lead, stainless steel.



INSUL TUBE

Ideal for covering 12.5 gauge brace wire & also to sleeve through or attach to post to insulate poly wires, poly ropes and Shock line wire.



ELECTRIC FENCE ACCESSORIES CON'T.

THE ORIGINAL FAULT FINDER

POWER PROBE II

The Ultimate Diagnostic Tool For Electric Fence

Waterproof & impact resistant case. Low battery indicator. Incl. 9V Battery. Clearly indicates the direction of the fault & leads you quickly to it. No wires or clips means no tangles or shocks. Simple to use - one touch operation. 12 Month Guarantee.



FENCE ALERT F1A

Starts working when your fence stops.



GUARDIAN NIGHT LIGHT 2221

Flashes rapidly when fence is in good condition. Flash frequency slows as conditions worsen. Highly visible at night up to 1000 ft. or more



FENCE TESTER

6 lights indicate voltage levels from 1000V-10,000V. No batteries required.



FENCELINE TESTER 44669

LED low voltage & low battery indicator. Incl. standard 9V battery. Reads up to 8000V. No ground probe.



KEY CHAIN FENCE BEEPER

Simply Beeps when it is close to a live electric fence



SPEEDRITE CORRAL KIT

Ideal for trail riding, horse shows, etc. Quick & easy setup. Create a larger temporary corral with this portable electric fence kit.

- Includes 12 tread-in posts
- 660' of 1/2" poly tape
- AN20 fence charger
- Tread-in post battery stand that doubles as ground rod
- No-kick gate handle & carrying case



FENCE CHECKER 441227

Visual & audible signals when fence has a voltage.



SUPER REEL W/SUPPORT 44270

Hard wearing plastic reel (replaceable) w/ locking pin. Complete with metal support & harness for fence installation. Capacity for about 1000m poly wire & 600m poly tape.



JUMBO REEL W/SUPPORT 441270

Extra wide design with locking pin. Capacity for about 2000m poly wire or 1200m tape



COMPACT REEL 44296

Impact-proof plastic. Special eye for well directed wire routing. Heavy-steel crank arm. Galvanized carry handle for manual use or for clipping into portable reel system. Locking ratchet. Capacity for up to 600m poly wire & 200m poly tape.



SPARE REEL 44271

Changeable reel for Super Reel 44270



EURO REEL 441040

High quality compact reel w/locking ratchet. Complete with mounting device for hanging on fence wire. Capacity for up to 500m poly wire & 200m poly tape.



GEARED REEL 3:1 44280

Save time by 3-way transmission. Impact proof plastic. Special eye for well-directed wire routing. Heavy-steel crank arm. Capacity for up to 600m poly wire & 200m poly tape.



SPARE REEL

For Euro Reel

PORTABLE POSTS FOR ELECTRIC FENCE

PLASTIC POST WITH STEP-IN STIRRUP

5 ft. WHITE 444180 5/pkg
20/box


Easily driven into the ground because the stirrup is positioned directly above the spike.
Accommodates all common tapes, ropes & polywires. Fibreglass reinforced. Galvanized Spike.



CLASSIC TREAD IN PLASTIC POST

4 ft. WHITE 443492 5/pkg

Moulded in insulators for Poly Strands, Ropes & up to 1½" Poly Tape.
Reinforced for increased stability. Galvanized Spike.



PET & GARDEN POST

28 ½" GREEN 5/pkg

4 Preset Clips



FIBREGLASS POSTS 3/8"

4 ft WHITE 20/bdle
5 ft WHITE 20/bdle
(Insulator not included)



John's Fencing Tip: For Semi Permanent fencing use T-Posts or Wood Posts at your Gateways, Corners, Starts & Finishes & any of the above **Portable Posts** in between for a simple & economical install!

POLY ROPE INSTALL



POLY TAPE INSTALL



POLY STRANDS & ROPE

High Quality * High Strength * More Twist * High Conductivity * High Visibility * Ultra Violet Stabilized

Only high quality virgin high density polyethylene & stainless steel wire is used to produce this long lasting electric fence wire. Ideal for strip or rotational grazing & used on permanent fences as fence protection.

POLY SHOCK * Classic 2.5mm * 6 Stainless Steel Conductors

200m (656')	Brown	441949
250m (820')	White	449114
500m (1640')	White	449112



POLY ROPE * 6mm * 6 Conductors

200m (656')	White with Stainless Steel Conductors
200m (656')	White/Red TRI-CON Conductors


Drop Handles

Black 442366 2/pkg

Easy & Safe unrolling of conductive material – suitable for all spool sizes



Please see page 11 & 12 for a wide variety of insulators & accessories for Poly Strands & Rope



Super Corner Screw In



Ring Insulator for Rope



Gate Handle Insulator & Quick Rope/
Polywire Connector



Gate Handle with Quick Rope/
Polywire Connector

Get a stunning installation by using simple to install accessories!



Electric Bungy Gate Option for Poly Strand & Rope Install

Designed to stay off the ground while the gate is open!

Eliminates getting shocked while going through gateways!



Materials Required:

PLEASE REFER TO DIAGRAM AT BOTTOM OF PAGE 10

- (a)** Electric Bungy Rope – stretches up to double its original length.)
- (b)** Tube Post or Ring Insulator with Metric Screw – Recommend 2-4 depending on length of gate. (Please see Page 12)
- (c & d)** 2 Gate Handle Insulators or 1 Vario Gate Handle Insulator (w/2 Rope Connectors would be required for either insulator). (Please see Page 11)
- (e)** 1 Heavy Duty Gate Handle w/rope connector. (Please see Page 11)
- (f)** 1 Rope Connector. (Please see Page 11)

ELECTRIC BUNGY ROPE * 7mm * 3 SS Conductors* Can be extended to twice its original length

Great for Gate Crossings

25m (82')	White with Black tracer	441890
50m (164')	White with Black tracer	441891



POLY TAPES

High Quality * High Strength * High Conductivity * High Visibility * Ultra Violet Stabilized

Excellent conductivity & durability. Thick polyethylene fibres for strength, quality & longevity.

40mm Wide	8 Stainless Steel Conductors	200m (656')	White
40mm Wide	11 TRICON Conductors <i>Highly Conductive</i>	200m (656')	White/Red
40mm Wide	13 Stainless Steel Conductors	200m (656')	Black

Please see page 11&13 for a wide variety of insulators & accessories for Poly Tape.

"We have the expertise & products to help you get your install complete & right the 1st time!"

Euro Clamp



Maxi Tape Wood Post Screw-In




Get a stunning installation by using simple to install accessories!

Gate Buckle w/Hole



Litzclip Handle Connector




Electric Bungy Gate Option for Poly Tape Install

Designed to stay off the ground while the gate is open!


Eliminates getting shocked while going through gateways!

Materials Required:

- (a) Electric Bungy Rope – stretches to more than double its original length. (Please see Page 9)
- (b) Tube Post or Ring Insulator with Metric Screw – Recommend 2-4 depending on length of gate. (Please see Page 12)
- (c & d) 2 Gate Buckle with Hole and 2 Euro Clamps. (Please see Page 11 & 13)
- (e) 1 Heavy Duty Gate Handle with Rope Connector. (Please see Page 11)
- (f) 1 Rope Connector. (Please see Page 11)



TIP: Bring Insulated Connection Cable from Fence Controller into Gate Buckle with Hole by using a Joint Clamp



INSULATORS FOR POLY STRANDS, ROPE & WIRE CON'T

STRAIN/CORNER INSULATORS

HD Strain/Corner	BLACK	44335	25/bag
Corner Screw-In	BLACK	44330	5/bag
Super Corner Screw-In	BLACK	441330	10/bag
Super Corner Screw-In w/metric thread	BLACK	441360	10/bag



POLY STRAND, ROPE & WIRE ACCESSORIES

Rope Connector	STAINLESS	44540	5/Per Pkt
Gate Handle Insulator	GALVANIZED	441248	
Gate Handle Insulator w/metric thread	GALVANIZED	442141	
LitzClip Wire Connector up to 3mm dia. polywire		442003/101	10/Pk
LitzClip Repair Kit great for electric net repair		442018/081	8/Pk
Vario Gate Handle Insulator	STAINLESS STEEL	44237/021	2/kit
Vario Gate Handle For T-Post	STAINLESS STEEL	446516	
Twist Tight	BLACK	PWT6	6/bag



GATE HANDLES

Arch Hook Gate Handle	BLACK	817217
	BLUE	59941
	STAINLESS STEEL RED	44944
NEW	STAINLESS STEEL BLUE	44991



GATE HANDLE ADAPTORS FOR POLY TAPE









3/4" Litzclip Handle Connector	STAINLESS	442006/041	4/pkg
1 1/2" Litzclip Handle Connector	STAINLESS	442007/041	4/pkg
Connector Plate for Tape to Gate Handle	STAINLESS	443453	10/bag



INSULATORS FOR POLY STRANDS, ROPE & WIRE








WOOD POST INSULATORS

Also can be screwed on to vinyl or metal posts

Wood Post	BLACK	820030	25/bag	
Wood Post Extender 5"	BLACK	820026	25/bag	
Heavy Duty Euro Cord	BLACK	441396	10/bag	
Wood Post Pinlock	BLACK	441495	25/bag	
Ring Insulator for Rope	BLACK	443145	25/bag	
Wood Post 3 1/2"	BLACK	SNUG-XWP-15	15/bag	
Offset 8" Ring Insulator for Rope	BLACK	150-033	10/bag	
Side Fixing Pigtail 10 5/8"	WHITE	807867	5/Bundle	
Side Fixing Pigtail 16"	WHITE	44448	10/bundle	

TOP
SELLER

INSULATORS FOR OTHER TYPES OF POSTS

Rod Post Multi-Fit	BLACK	820019	25/bag	
	YELLOW	820020	25/bag	
T-Post	BLACK	820015	25/bag	
T-Post Ext. 5"	BLACK	820021	25/bag	
T-Post Cap	BLACK	441252	10/bag	
Ring Insulator-80mm w/metric thread	BLACK	44324	25/Bag	
Tube Post <i>Up to 2" Round or Square Post</i>	BLACK	3359-10	10/bag	
Chain Link	BLACK	816065	25/bag	

INSULATORS FOR POLY TAPES

WOOD POST INSULATORS

Also can be screwed on to vinyl or metal posts

Poly Tape Wood Post Easy Clip	BLACK	441391	25/bag
Wood Post Claw up to 40mm Tape	BLACK	44340	10/bag
Maxi Tape Wood Post Screw-In	BLACK	441390	25/bag
Screw Bit Ring & Maxi Tape Insulators	RED	441363/016	1/pkg
8" Poly Tape Wood Post Ext. Screw-In Screw-In	BLACK	150-026	10/bag



INSULATORS FOR OTHER TYPES OF POSTS

Poly Tape Round Post	WHITE	816066	25/bag
Poly Tape T-Post up to 50mm Tape	YELLOW OR WHITE		25/bag
T-Post Cap	BLACK	441252	10/bag



POLY TAPE ACCESSORIES

Euro Clamp <i>Universal all in one – end, corner, 3 way tensioning insulator</i>	BLACK	44350/066	6/pkg
Premium Tape Tensioner <i>Simple to add on to existing fence systems.</i>	BLACK	44578	10/bag
Tape-To-Tape Joiner <i>Trouble free connection between poly tapes</i>		44616	1/pkg
Fenceline Connector		44617	1/pkg
Poly Tape Joiner 3/4"	STAINLESS	44595	10/bag
Poly Tape Joiner 1 1/2"	STAINLESS	44596	10/bag



ELECTRIC NETS


Double prong step-in posts are built into the netting to provide stability & ease of installation. Each post has a moulded top enabling the post to be easily moved to a new position in the net when necessary. All nets include repair kit & corner stakes. All nets are manufactured with graduated vertical spacing, which means the horizontal lines are spaced tighter at the bottom & farther apart at the top to provide extra security & superior predator control. Stainless steel conductors for durability. 1-non electrified bottom twine.

SHEEP/HOG NET

43" High X 164' Long
7 Electrified Horizontal Lines
2 Extra Conductors in Top Line



Orange/White





POULTRY NET

42" High X 164' Long
10 Electrified Horizontal Lines



Orange





RABBIT/CRITTER NET

26" High X 164' Long
9 Electrified Horizontal Lines




Green



Our most popular Nets!

Normal rainfall areas

(All horizontal lines electrified except bottom)



BEAR POS/NEG



40" High X 164'
12 Electrified Horizontal Lines

SEMI RIGID VERTICALS

SPARE POSTS AVAILABLE



Dry Regions or for Ultimate Control



Ferris Fencing Inc.
Continuing to serve your fencing needs for
Over 35 Years

Proudly Serving Canadian Agriculture
Vineyards/Orchards, Horticulture and Aquaculture

www.ferrisfencing.com info@ferrisfencing.com

**We Ship
Anywhere**

2130 Sherritt Drive
Nanoose Bay, BC
V9P 9E9

TEL: 250-821-0079

F.O.B Nanoose Bay, BC (Unless otherwise specified)
Ferris Fencing Inc. disclaims responsibility for use or misuse of any products described in this Catalogue,
Website, Brochures, and any losses incurred through the use of the products.
All products should be used according to the manufacturer's instructions.



December 2023
E.&O.E.



VISA



e-Transfer